

#### DSM SYNDICATE 10% OWNED BY GOLIATH DISCOVERS EXTENSIVE HIGH-GRADE VEIN SYSTEM

### ASSAYS UP TO 110 g/t GOLD (3.21 oz/t)

Toronto, Ontario – November 6<sup>th</sup>, 2018 – Goliath Resources Limited (TSX-V: GOT) (OTCQB: GOTRF) (Frankfurt: B4IE) (the "Company" or "Goliath") is pleased to report channel, chip, and grab sample assay results of up to 110 grams per ton gold (3.21 ounces per ton) from the Big Show Zone Vein system, measuring 2 km by 1 km. It remains open in all directions containing multiple large en-echelon gold-bearing mineralized quartz veins. The Big Show Zone is located on the Gold Standard property, four kilometres north of Bella Coola, British Columbia. Goliath Resources Limited owns a 10% interest in the DSM Syndicate, a private precious metals project generator in British Columbia that owns 100% of six properties, inclusive of the Gold Standard property.

### 2018 Highlights Include:

- Extensive new bedrock discovery in an area of recent snowpack and glacial abatement with no historic work recorded.
- Discovery of the Big Show Zone, a large zone of prolific quartz veining that contains multiple large en-echelon quartz veins that outcrop within a 2 km by 1 km zone that remains open in all directions (link to video).
  - Seven large shear zone hosted mineralized vein systems containing consistent highgrade gold mineralization have been discovered to date.
  - Vein Highlights include:
    - 1. **Vein system 1 (Kraken)** assays up to:
      - 71.8 g/t Au (2.1 oz/t), 64.4 g/t Ag, 72.6 g/t AuEq (0.5 Chip Sample)
      - link to image
    - 2. Vein system 2 (Goldzilla) assays up to:
      - 110 g/t Au (3.21 oz/t), 934 g/t Ag, 121.8 g/t AuEq (Grab Sample)
      - 10.8 g/t Au, 85.5 g/t Ag, 11.85 g/t AuEq (2m Chip Sample)
      - link to image
    - 3. Vein system 3 (Leviathan) assays up to:
      - 96.8 g/t Au (2.8 oz/t), 429 g/t Ag, 106.7 g/t AuEq (Grab Sample)
      - 26.9 g/t Au, 70.4 g/t Ag, 27.79 g/t AuEq (1.5 m Chip Sample)
      - link to image
  - Multiple other large veins were also discovered have yet to be sampled providing for excellent additional gold potential.
- The Big Show Zone is situated within a large regional high strain zone, a corridor of brittle and ductile deformation.
  - A channel sample grab of chlorite-schist from within a 15-metre-wide shear zone returned 0.28 g/t Au over 0.15 meters (link to image).

- The geological setting and style of mineralization; large gold-bearing mineralized veins and shear zones are consistent with a mesothermal/orogenic system. These systems are often deep rooted and are mined to depths of 1 to 3 kilometres or more (<u>link to image</u>).
- Approximately 67 % of Canadian gold production comes from this world class geologic setting, with examples including the nearby Bralorne Pioneer Camp in British Columbia (4.17 Moz) and many regions within the Canadian shield including Kirkland Lake (>40 Moz), Timmins (>70 Moz), Val d'Or/Noranda (>69 Moz) and Red Lake camps (>29 Moz) (link to image).
- Based on the discovery of multiple new gold mineralized veins the claim block was recently expanded from 690 Ha to 1774 Ha.
  - The Gold Standard property is an original discovery located in a World Class Geological setting that remains largely unexplored, providing for tremendous untapped gold potential.

The Property was generated and staked by the DSM Syndicate in 2017 following positive results from a brief reconnaissance exploration program. A limited follow-up program in 2018 was carried out to expand on the 2017 mineralized zones and systematically prospect the other unexplored regions of the claim block. This resulted in the discovery of seven new shear-zone hosted en-echelon large quartz vein systems, which remain open, confirming the tremendous untapped gold potential of the largely unexplored Gold Standard property.

This mineralized system is part of a regional high strain zone, a brittle and ductile, sub-vertical shear zone system. Localization of high strain zones within the system are associated with sheeted, oxidized, sulphide-bearing quartz veins that have been identified in outcrop within a 2 km by 1 km zone, which remains open in all directions. Discrete quartz veins trend up to 350 meters in length and are up to 5 meters thick. They host variable amounts of oxidized pyrite and disseminated pyrite with chalcopyrite. Additionally, the shear zones are typically demarked by chlorite schist of up to 15 meters wide, where a channel grab from a chlorite within a shear zone assayed 0.28 g/t Au over 0.15 meters. To date on the Big Show, all seven large vein systems identified and sampled contain gold mineralization

During the brief program, a total of 15.2 metres of channel sampling was completed. Highlights are reported in Table 1 and include a 0.5 metre channel sample containing 32.00 g/t AuEq (31.00 g/t Au, 83.90 g/t Ag). Additionally, thirty chip samples were taken with highlights including a 0.5 metre chip sample of 72.57 g/t AuEq (71.80 g/t Au, 64.40 g/t Ag) with six samples assaying over 10 g/t Au. Fifty-two grab samples were collected with highlights including 121.84 g/t AuEq (110.00 g/t Au, 934.00 g/t Ag) and 106.68 g/t AuEq (96.80 g/t Au, 429.00 g/t Ag).

**Table 1 – Gold Standard Property Highlights** 

Sample #	Channel/Chip/Grab <sup>1</sup>	Length (metres) <sup>2</sup>	Gold (g/t)	Silver (g/t)	Copper %	Gold Eq³ (g/t)	Vein System Number	Vein System Name
W388888	Grab		110.00	934.00	0.42	121.84	2	Goldzilla
W496703	Grab		96.80	429.00	2.97	106.68	3	Leviathan
W495957	Chip	0.50	71.80	64.40	0.00	72.57	1	Kraken
W496900	Grab		40.50	117.00	0.70	43.02	3	Leviathan
W496949	Chip	0.50	39.00	300.00	0.24	42.96	2	Goldzilla

W496702	Grab		31.90	112.00	0.72	34.39	2	Goldzilla
W497438	Channel	0.50	31.00	83.90	0.00	32.00	2	Goldzilla
W386026	Chip		26.90	70.40	0.03	27.79	3	Leviathan
W495976	Grab		21.80	96.50	0.07	23.07	3	Leviathan
W494953	Chip	0.50	19.15	49.10	0.02	19.77	2	Goldzilla
W386031	Grab		17.40	75.40	0.66	19.36	3	Leviathan
W495987	Channel	0.25	16.15	72.20	0.37	17.61	3	Leviathan
W496948	Chip	0.50	15.85	118.00	0.11	17.44	2	Goldzilla
W495975	Grab		13.35	195.00	8.97	30.02	3	Leviathan
W386024	Chip	2.00	10.80	85.50	0.02	11.85	2	Goldzilla
W496898	Grab		9.20	31.20	0.00	9.57	2	Goldzilla
W500355	Grab		8.33	20.00	0.00	8.57	2	Goldzilla
W497436	Channel	0.22	6.87	48.70	0.10	7.61	2	Goldzilla
W495959	Chip	0.50	5.38	27.10	0.00	5.70	1	Kraken
W495955	Chip	0.50	4.94	6.20	0.01	5.03	1	Kraken
W386028	Float		4.20	21.00	0.07	4.56	3	Leviathan
W495958	Chip	0.50	4.19	8.40	0.00	4.29	1	Kraken
W386027	Float		3.68	28.60	0.70	5.14	3	Leviathan
W495983	Channel	0.40	3.46	22.40	0.00	3.73	3	Leviathan
W496701	Grab		3.30	18.50	0.59	4.46	3	Leviathan
W495954	Chip	0.50	3.24	14.20	0.01	3.43	2	Goldzilla
W497437	Channel	0.24	2.97	8.40	0.00	3.07	2	Goldzilla
W495979	Channel	0.50	2.93	11.60	0.30	3.55	3	Leviathan
W495981	Channel	0.30	2.90	14.00	0.01	3.08	3	Leviathan
W495984	Channel	0.50	2.51	12.90	0.03	2.71	3	Leviathan
W495952	Chip	0.50	2.38	12.10	0.00	2.52	2	Goldzilla
W500354	Grab		2.38	9.40	0.00	2.49	2	Goldzilla
W497446-7	Channel	0.44	2.22	6.24	0.02	2.33	2	Goldzilla
W495966	Chip	1.00	2.14	40.80	0.85	3.99	4	Titanoboa
W495968	Chip	0.50	2.12	11.90	0.58	3.19	4	Titanoboa
W495963	Grab		1.95	42.10	0.67	3.52	4	Titanoboa
W497444	Channel	0.22	1.89	5.00	0.00	1.95	2	Goldzilla
W495985-6	Channel	1.50	1.88	22.15	0.89	3.57	3	Leviathan
W496994	Grab		1.75	5.50	0.00	1.82	5	Hydra
W495988	Channel	1.00	1.71	23.80	1.70	4.71	4	Titanoboa
W496893	Grab		1.69	14.30	4.22	8.60	2	Goldzilla
W491657	Grab		1.65	3.80	0.00	1.70	2	Goldzilla
W497440	Channel	0.93	1.61	4.70	0.06	1.76	2	Goldzilla
W496894	Grab		1.46	7.20	0.71	2.68	2	Goldzilla
W496950	Chip	0.50	1.43	9.10	0.12	1.73	2	Goldzilla
W491656	Grab		1.39	5.00	0.00	1.45	2	Goldzilla
W497439	Channel	0.50	1.32	4.40	0.01	1.39	2	Goldzilla
W497435	Channel	0.44	1.31	4.60	0.00	1.37	2	Goldzilla

W497443	Channel	0.22	1.12	3.10	0.00	1.16	2	Goldzilla
W497433	Channel	0.46	1.11	215.00	0.00	3.68	2	Goldzilla
W500353	Grab		1.03	14.70	0.14	1.43	2	Goldzilla
W495977-8	Channel	1.50	0.86	2.60	0.07	1.00	3	Leviathan

<sup>&</sup>lt;sup>1</sup>Grab samples are selective in nature and collected to determine the presence or absence of mineralization and are not intended to be representative of the material sampled, <sup>2</sup>True thickness of mineralized zone not known and

Gold Standard is situated within a regional corridor of brittle and ductile deformation that is proximal to the boundary between the Intermontane and Insular superterranes, demarked by the Coast Shear Zone. Prolonged faulting and shearing focused within this structural corridor that transects the Gold Standard Property provided extensive conduits for mineralizing fluids and favourable sites for mineralization (link to image). These mesothermal/orogenic characteristics are consistent with a gold-bearing mineralized veins and shear zones. Deposits of this nature are found at the Bralorne Pioneer Mining Camp in British Columbia (4.17 Moz) and many regions within the Canadian Shield including the Timmins, Val d'Or/Noranda, and Red Lake camps. Typical deep-rooted mines in these camps extend to depths in excess of 1 to 3 kilometers (link to image).

Based on very positive results on the Gold Standard property, a follow-up exploration program consisting of comprehensive prospecting, mapping, and systematic reconnaissance geochemical sampling, ground magnetics, and drone mapping is recommended. This surface program is in preparation for an inaugural drill program to test this extensive high-grade gold system both along strike and to depth. The property is in an alpine area with abundant bedrock exposure due to recent glacial and snowpack abatement and is located only four kilometres from Bella Coola, BC, 1 km to tidewater and logging roads providing for excellent proximity to infrastructure for cost effective exploration.

# **Qualified Person**

Stephen Roach P. Geo is the qualified person as defined by National Instrument 43- 101, for Goliath Resources projects, and supervised the preparation of, and has reviewed and approved, the technical information in this release.

# Other

All rock, channel and talus fine samples were crushed and pulverized at ALS Canada Ltd.'s lab in Vancouver, BC. ALS is either Certified to ISO 9001:2008 or Accredited to ISO 17025:2005 in all of its locations. The resulting sample pulps were analyzed for gold by fire assay in Vancouver, BC. The pulps were also assayed using multi-element aqua regia digestion at ALS Canada Ltd.'s lab in Vancouver, BC. The coarse reject portions of the rock samples, as well as the pulps, were shipped to DSM Syndicate's storage facility in Terrace, BC. All samples were analyzed using ALS Canada Ltd.'s assay procedure ME-ICP41, a 1:1:1 aqua regia digestion with inductively-coupled plasma atomic emission spectrometry (ICP-AES) or inductively-coupled plasma mass spectrometry (ICP-MS) finish for 35 elements as well as the Au-AA24 lead collection fire assay fusion procedure with atomic absorption spectroscopy (AAS) finish. Any results greater than 100 ppm for silver or 10,000 ppm copper, lead and zinc were additionally assayed using ALS's

<sup>&</sup>lt;sup>3</sup>AuEq metal values are calculated using: Au \$1222.9/oz, Ag \$14.63/oz, Cu \$2.8499/lb

OG46 method particular to each element. This method used an HNO3-HCl digestion followed by ICP-AES (or titrimetric and gravimetric analysis). Gold values of greater than 10 ppm Au were assayed by the Au-GRA22 method which includes a fire-assay fusion procedure with a gravimetric finish. QA/QC samples including blanks, standards, and duplicate samples were inserted regularly into the sample sequence.

The reader is cautioned that grab samples are spot samples which are typically, but not exclusively, constrained to mineralization. Grab samples are selective in nature and collected to determine the presence or absence of mineralization and are not intended to be representative of the material sampled.

#### For more information please contact:

Goliath Resources Limited

Mr. Roger Rosmus

President and Chief Executive Officer
Tel: +1-416-488-2887 x222

roger@goliathresources.com

www.goliathresourcesltd.com

#### General Disclaimer

Goliath Resources Limited "Goliath" has taken all reasonable care in producing and publishing information contained in this news release and will endeavor to do so on a periodic basis. Material in this news release may still contain technical or other inaccuracies, omissions, or typographical errors, for which Goliath assumes no responsibility. Goliath does not warrant or make any representations regarding the use, validity, accuracy, completeness or reliability of any claims, statements or information on this site. Under no circumstances, including, but not limited to, negligence, shall Goliath be liable for any direct, indirect, special, incidental, consequential, or other damages, including but not limited to, loss of programs, loss of data, loss of use of computer of other systems, or loss of profits, whether or not advised of the possibility of damage, arising from your use, or inability to use, the material from this news release. The information is not a substitute for independent professional advice before making any investment decisions. Furthermore, you may not modify or reproduce in any form, electronic or otherwise, any information on this site, except for personal use unless you have obtained our express written permission.

# Forward-Looking Statements

This news release contains forward-looking statements, including but not limited to comments regarding predictions and projections. More particularly, this document contains statements concerning the benefits of the listing of the Company's shares on OTCQB. Forward-looking statements address future events and conditions and therefore involve inherent risks and uncertainties. Actual results may differ materially from those currently anticipated in such statements. The Company does not intend, and does not assume any obligation, to update these forward-looking statements. Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange), nor the OTCQB Venture Market accepts responsibility for the adequacy or accuracy of this release.