



## Goliath Reports Numerous High-Grade Intercepts Including 24.16 g/t AuEq Over 7.00 Meters, Grade Values Increased By 19.6 % In 56 Gold Equivalent Drill Results, And Expands Vast Stacked Vein System At Surebet Discovery, Golden Triangle, B.C.

- Accounting for Silver, Copper, Lead and Zinc within these 56 drill hole results, Goliath reports an average 19.6 % increase in overall grade values from these previously announced Gold only assays, with numerous high-grade intercepts including 24.16 g/t AuEq over 7.00 meters. Across all 110 drill holes completed during the 2025 season, this polymetallic contribution is an average increase of 16.5% in overall grade values from the Gold only assays.
- 92,000 meters of drilling completed in four drilling seasons (2021-2024) on the Surebet Discovery resulted in the modeling of a vast stacked vein system. The 2025 drilling season alone with more than 64,000 meters of drilling has expanded the modelled stacked vein system that remains open; over 156,000 meters drilled to date. This demonstrates the continuity of this high-grade gold system and the remaining untapped expansion potential of the Surebet discovery for 2026 and beyond. [3D Model Video \(Click Here\)](#).




- **Dr. Quinton Hennigh, Geologic & Technical Advisor to Crescat Capital, a strategic investor in Goliath, states:** *“At the start of the 2025 Surebet drill campaign, the objectives were clear: continue to expand the known lode system and systematically drill areas with high-grade mineralization to better define these key areas. With all assay results now in hand, we can easily say these objectives were met. The current Surebet lode model is significantly expanded compared to last year, and the definition of high-grade regions within each lode is now much clearer. The key take away from this year's drilling is that the system continues to display considerable opportunity for expansion. I have noticed that the most successful discoveries are ones that continue to expand and improve over time which is certainly the case at Surebet.”*
- **Metallurgical testing conducted on a composite core sample through a combination of simple gravity and flotation resulted in notable recoveries of 92.2% for Gold, 86.5% for Silver, 94.2% for Lead and 96.9% for Zinc. Recoveries with a crush size of 327 micrometer through simple and cost-effective gravity alone amounted to 48.8% for Gold and 10.3% for Silver (no cyanide leaching required to recover the gold and silver). The metallurgy completed to date shows a benign rock composition without deleterious elements (see news release March 1, 2023).**
- **Of the holes drilled during the 2025 campaign, 83 out of 110 holes (or 76%) contained visible gold to the naked eye (VG-NE). 355 out of 386 drill holes representing 92% of holes drilled to date at Surebet contain VG-NE.**



- **100% of the drill holes completed to date on Surebet have intersected gold mineralization clearly demonstrating desirable continuity, grades, and widths inclusive of over 1,500 piece points within 5 Main Gold-Rich Zones comprising 46 mineralized lodes that remain open for expansion.**
- **100% of the drill holes completed to date on the Surebet Discovery have intersected substantial quartz-sulphide mineralization.**



- The desirable continuity, widths and grades demonstrated by drilling in multiple lodes shows this extensive 1.8 km<sup>2</sup> gold system continues to demonstrate the potential to become one of the most significant gold discoveries in British Columbia's Golden Triangle in many years. The positive results received to date will help vector in on drilling targets that remain open for expansion potential.
- High-grade gold has been identified in three distinct rock packages discovered to date at the Surebet Discovery. This includes the gently dipping gold-rich stacked quartz-sulphide breccias/stockwork veins; the gold-rich intermediate to felsic Eocene-aged dykes; and the recently discovered broad gold-rich zones of calc-silicate altered breccia. All mineralized rock types contain substantial amounts of VG-NE (from fine-grained to coarse-grained gold) and remain open for expansion. This confirms the presence of a Motherlode magmatic source nearby, a causative intrusion responsible for the extensive 1.8 km<sup>2</sup> high-grade gold system at Surebet.
- The fully funded 2026 drill program will be mainly focused on expanding the 5 Main Mineralized Zones. Data compilation and interpretation is underway which will be used to vector in on the indicated Motherlode causative intrusive source to this extensive high-grade gold system with widespread VG-NE that remains open for expansion.




**GOLD-EQUIVALENT DRILL HIGHLIGHTS (for complete details see Table 2 below):**


- Drill hole GD-24-280 (a 2024 hole relogged in 2025) intersected several intervals up to:
  - 24.16 g/t AuEq (24.05 g/t Au and 5.78 g/t Ag) over 7.00 meters, within 17.32 g/t AuEq (17.24 g/t Au and 4.28 g/t Ag) over 10.00 meters, within 8.35 g/t AuEq (8.31 g/t Au and 2.30 g/t Ag) over 23.00 meters in the Bonanza Zone.
- Drill hole GD-25-319 intersected several intervals up to:
  - 30.06 g/t AuEq (29.09 g/t Au and 53.55 g/t Ag) over 4.00 meters, within 11.14 g/t AuEq (10.76 g/t Au and 20.30 g/t Ag) over 10.95 meters, within 9.48 g/t AuEq (9.15 g/t Au and 17.36 g/t Ag) over 12.90 meters from the Golden Gate Zone.
- Drill hole GD-25-405 intersected a couple intervals up to:
  - 21.33 g/t AuEq (21.09 g/t Au and 5.14 g/t Ag) over 3.75 meters, within 10.74 g/t AuEq (10.60 g/t Au and 3.35 g/t Ag) over 8.30 meters, within 8.66 g/t AuEq (8.55 g/t Au and 2.82 g/t Ag) over 10.30 meters from the Golden Gate Zone.
- Drill hole GD-25-332 intersected a couple intervals up to:
  - 20.67 g/t AuEq (19.87 g/t Au and 33.97 g/t Ag) over 3.87 meters, within 13.93 g/t AuEq (13.38 g/t Au and 23.43 g/t Ag) over 5.75 meters from the Eldorado Zone.
- Drill hole GD-25-321 intersected:
  - 5.24 g/t AuEq (4.78 g/t Au and 19.67 g/t Ag) over 13.00 meters, within 3.40 g/t AuEq (3.10 g/t Au and 12.44 g/t Ag) over 21.00 meters, within 2.51 g/t AuEq (2.29 g/t Au and 9.24 g/t Ag) over 29.00 meters from the Golden Gate Zone.
- Drill hole GD-24-254 (a 2024 hole relogged in 2025) intersected numerous intervals up to:
  - 14.81 g/t AuEq (13.83 g/t Au and 33.19 g/t Ag) over 4.00 meters, within 5.85 g/t AuEq (5.47 g/t Au and 12.96 g/t Ag) over 11.17 meters, within 4.93 g/t AuEq (4.61 g/t Au and 11.00 g/t Ag) over 13.30 meters from the Golden Gate Zone.
- Drill hole GD-25-383 intersected:
  - 7.33 g/t AuEq (7.28 g/t Au and 2.67 g/t Ag) over 8.00 meters, within 4.32 g/t AuEq (4.29 g/t Au and 1.79 g/t Ag) over 14.10 meters, within 3.62 g/t AuEq (3.59 g/t Au and 1.56 g/t Ag) over 17 meters from an Eocene-aged Dyke.
- Drill hole GD-25-311 intersected several intervals up to:
  - 15.19 g/t AuEq (15.13 g/t Au and 1.78 g/t Ag) over 3.00 meters, within 11.24 g/t AuEq (11.20 g/t Au and 1.36 g/t Ag) over 4.07 meters from the Golden Gate Zone.
- Drill hole GD-25-359 intersected a couple of intervals up to:
  - 9.04 g/t AuEq (4.05 g/t Au and 269.16 g/t Ag) over 5.00 meters from the Surebet Zone.
- Drill hole GD-25-334 intersected numerous intervals up to:

- 14.28 g/t AuEq (13.47 g/t Au and 34.53 g/t Ag) over 3.00 meters, within 10.80 g/t AuEq (10.18 g/t Au and 26.11 g/t Ag) over 4.00 meters, within 6.24 g/t AuEq (5.88 g/t Au and 15.20 g/t Ag) over 7.00 meters from the Golden Gate Zone.







- Assay results from the recently completed 64,364 meters of drilling have significantly expanded the extent of the high-grade gold mineralization at the Surebet Discovery that remains open for expansion laterally and at depth. The updated model for the Surebet system, which includes all the 2025 assay results, consists of 5 extensive mineralized zones comprising 46 gold-rich lodes as well as gold-rich Eocene-aged RIRG dykes:




- The Bonanza Zone has a strike of 1.8 km NW-SE and 1.1 km NE-SW containing 5 lodes up to 19 meters thick with a combined thickness of up to 27 meters and intercepts up to 8.35 g/t AuEq (8.31 g/t Au and 2.30 g/t Ag) over 23.00 meters (drill hole GD-24-280) and remains open for expansion.




- The Surebet Zone has a strike of 1.2 km NW-SE and 930 meters NE-SW containing 9 lodes up to 19 meters thick with a combined thickness of up to 30 meters and intercepts up to 21.08 g/t AuEq (18.95 g/t Au and 95.31 g/t Ag) over 23.00 meters (drill hole GD-23-157) and remains open for expansion to the SW.




- The Golden Gate Zone has a strike of 1.3 km E-W and 820 meters N-S containing 18 lodes up to 14 meters thick with a combined thickness of up to 49 meters and with intercepts up to 34.52 g/t AuEq (34.47 g/t Au and 3.96 g/t Ag) over 39.00 meters (drill hole GD-24-260) and remains open for expansion.




- The Whopper Zone has a strike of 800 meters N-S and 450 meters E-W containing 12 lodes up to 6 meters thick with a combined thickness of up to 30 meters and intercepts up to 32.67 g/t AuEq (32.56 g/t Au and 8.92 g/t Ag) over 4.00 meters (drill hole GD-24-262) and remains open for expansion.





- The Eldorado Zone has a strike of 680 meters E-W and 700 meters N-S containing 2 lodes up to 5 meters thick with a combined thickness of up to 7 meters and intercepts up to 13.93 g/t AuEq (13.38 g/t Au and 23.43 g/t Ag) over 5.75 m (drill hole GD-25-332) and remains open for expansion.



- The gold-rich Eocene-aged dykes extend for up to 1.4 km N-S and a vertical relief of up to 890 meters with widths up to 25 meters and intercepts up to 12.03 g/t AuEq (11.84 g/t Au and 15.61 g/t Ag) over 10.00 meters (drill hole GD-22-58) and remain open for expansion.





**[SUREBET DISCOVERY - UPDATED 3D MODEL VIDEO \(Click Here\)](#)**

**Toronto, Ontario – February 24, 2026 – Goliath Resources Limited (TSX-V: GOT) (OTCQX: GOTRF) (FSE: B4IF) (the “Company” or “Goliath”)** is pleased to report the completed gold-equivalent assay results for the remaining 56 holes drilled in 2025 at the Surebet Discovery on its 100% controlled Golddigger Property (the “Property”), Golden Triangle, British Columbia. Accounting for Silver, Copper, Lead and Zinc within these 56 drill hole results, Goliath reports an average 19.6% increase in overall grade values from the previously announced Gold only assays (see news January 20, 2026, December 2, 2025, November 17, 2025, October 27, 2025, September 22, 2025, September 8, 2025, August 26, 2025, and July 28, 2025).

Highlights include drill hole GD-24-280 (a 2024 hole relogged in 2025) which intersected 24.16 g/t AuEq (24.05 g/t Au and 5.78 g/t Ag) over 7.00 meters, within 17.32 g/t AuEq (17.24 g/t Au and 4.28 g/t Ag) over 10.00 meters, within 8.35 g/t AuEq (8.31 g/t Au and 2.30 g/t Ag) over 23.00 meters in the Bonanza Zone. Every drill hole completed so far within the 1.8 km<sup>2</sup> Surebet discovery, including all 110 holes from the 2025 season, has successfully intersected gold mineralization. These results confirm predictable continuity, grade, and width across 5 Gold-Rich Zones and 46 Distinct Lodes, all of which remain open for expansion. The fully funded 2026 drill program will focus on expanding the 5 Main Mineralized Zones, testing the Motherlode causative intrusive source, and build toward a future resource.

**Mr. Roger Rosmus, Founder & CEO of Goliath states:** *“We are delighted with the substantial increase in grades on a gold equivalent basis (increase of 16.5% with all metals included) in our 110 holes from 2025 as well as the expanded model. It is positive that after 386 holes drilled that the various gently-dipping stacked veins, and vertical dykes, remain open. We believe that we are still likely at the top of the system with a substantial amount of room to grow laterally and at depth. What has clearly emerged from our drilling to date is that an analogue for the gently-dipping stacked veins is the high-grade Pogo Mine in Alaska. Advancing the Surebet high-grade gold discovery, at a time when gold is near record highs, and the majors and mid-tiers have large cash positions on their balance sheets and in need of growth opportunities while there is a dearth of them, puts us in a unique position. I would like to point readers to the images that show the expanded model of the stacked veins and vertical dykes, plus the image with the widespread VG-NE to get a sense of the impressive discovery Surebet is standing at to date and remains wide open for expansion. In addition, I would invite our shareholders and potential shareholders to compare Surebet to other discoveries and believe they will reach the conclusion that Surebet is one of very few such discoveries anywhere in the world. Now we are in the process of compiling all of our data, adjusting our models, doing advanced geological studies at the Colorado School of Mines, to assist our geological team in planning for the upcoming 2026 drilling season. We look forward to mobilizing later this year for our fully-funded 2026 drilling campaign.”*

Assay results from the recently concluded 64,364-meter drill program have significantly expanded the high-grade footprint of the Surebet Discovery, which remains open for further growth. An updated geological model incorporating all 2025 data identifies 5 primary mineralized Zones: Bonanza, Surebet, Golden Gate, Whopper, and Eldorado. Collectively these Zones comprise 46 gold-rich lodes and associated Eocene-aged RIRG dykes.

Table 1: Five main modelled gold rich zones and dykes.

Zone	Number of lodes	Dimensions	Key Intercept	Status
Bonanza	5	1.8 km x 1.1 km x 19 m	8.35 g/t AuEq over 23 m	Remains Open
Surebet	9	1.2 km x 930 m x 19 m	21.08 g/t AuEq over 23 m	Remains Open
Golden Gate	18	1.3 km x 820 m x 14 m	34.52 g/t AuEq over 39 m	Remains Open
Whopper	12	800 m x 450 m x 6 m	32.67 g/t AuEq over 4 m	Remains Open
Eldorado	2	680 m x 700 m x 5 m	13.93 g/t AuEq over 5.75 m	Remains Open
Gold-rich dykes		1.4 km x 890 m x 25 m	12.03 g/t AuEq over 10 m	Remains Open

High-grade gold has been identified in three distinct rock packages discovered to date at the Surebet Discovery. This includes the gently dipping gold-rich stacked quartz-sulphide breccias/stockwork veins; the gold-rich intermediate to felsic gold-rich dykes; and the recently discovered broad gold-rich zones of calc-silicate altered breccia. All mineralized rock types contain substantial amounts of VG-NE (from fine-grained to coarse-grained gold) and remain open for expansion. This confirms the presence of a Motherlode magmatic source nearby, a causative intrusion responsible for the extensive 1.8 km<sup>2</sup> high-grade gold system at Surebet.

The desirable continuity, widths and grades encountered across multiple lodes underscore the significance of this 1.8 km<sup>2</sup> gold system which has the potential to become one of the most significant gold discoveries in British Columbia's Golden Triangle in many years. Success to date has effectively vectored toward several open targets, providing a firm foundation for further expansion in the 2026 drilling campaign.

### **Surebet Discovery Highlights**

- 83 out of 110 holes (or 76%) drilled in 2025 contain VG-NE, 100% of holes drilled to date at the Surebet Discovery have intersected substantial quartz-sulphide mineralization. See news releases dated: January 20, 2026, December 2, 2025, November 17, 2025, October 27, 2025, September 22, 2025, September 8, 2025, August 26, 2025, and July 28, 2025.
- 60 out of 64 holes (or 94%) drilled in 2024 contain VG-NE up to 11.5 mm (7/16 inches) in size, all of which returned high-grade gold. See news releases dated: July 7, 2025, June 23, 2025, January 7, 2025, January 13, 2025, February 10, 2025, February 18, 2025, February 27, 2025, December 12, 2024 and July 30, 2024.
- 92% of the holes (355 out of 386) drilled to date at Surebet contain VG-NE (see VG-NE heat map above).
- The best hole drilled to date is GD-24-260 previously reported and has now been modeled from the Golden Gate Zone assayed 34.52 g/t AuEq (34.47 Au and 3.96 Ag) over 39.00 meters, including 132.93 g/t AuEq (132.78 Au and 12.98 Ag) over 10.00 meters, and 166.04 g/t AuEq (165.84 Au and 16.07 Ag) over 8.00 meters (see news release dated January 13, 2025). More details on the QA/QC protocol can be found in the section titled "QA/QC Protocol" below.
- The best hole drilled to date from the RIRG Eocene-aged dykes is GD-22-58 that assayed 12.03 g/t AuEq (11.84 g/t Au and 15.61 g/t Ag) over 10.00 meters including 19.91 g/t AuEq (19.62 g/t Au and 25.61 g/t Ag) over 6.00 meters, including 23.82 g/t AuEq (23.47 g/t Au and 30.54 g/t Ag) over 5.00 meters, plus a second separate interval down hole of 8.59 g/t AuEq (8.35 g/t Au and 20.74 g/t Ag) over 5.00 meters (see news release dated March 13, 2025). More details on the QA/QC protocol can be found in the section titled "QA/QC Protocol" below.
- The best hole drilled to date from the third distinct rock package consisting of calc-silicate altered breccia is drill hole GD-25-337, which intersected 10.83 g/t AuEq (10.60 g/t Au and 8.04 g/t Ag) over 22.82 meters, including 15.51 g/t AuEq (15.19 g/t Au and 11.14 g/t Ag) over 15.71 meters including 38.71 g/t AuEq or 1.24 oz/t AuEq (37.28 g/t Au 49.80 g/t Ag) over 3.36 meters in the Golden Gate Zone. The intercept is approximately true width. More details on the QA/QC protocol can be found in the section titled "QA/QC Protocol" below.
- Multiple gently dipping gold-mineralized stacked veins have been identified every year on the Surebet high-grade gold discovery. Recent discoveries include gold-rich RIRG Eocene-aged dykes, Goldilocks Zones where the veins and vertical dykes crosscut (which are characterized by having high-grade gold in two temperature regimes) and recently discovered high-grade gold in a third distinct rock package characterized by calc-silicate altered breccia, which increases potential tonnage and gold content of the high-grade gold system at the Surebet Discovery.

- The footprint of the mineralization discovered to date at Surebet is 1.8 km<sup>2</sup> and remains open in all directions.
- Thanks to the mountainous topography, mineralization in the veins is exposed on the surface for 2.1 km of strike (1.0 km on the south slope and 1.1 km on the north slope) with a vertical relief of 700 meters.
- A study completed by the Colorado School of Mines confirms a new interpretation of the ore forming process of high-grade gold mineralization at Surebet and outlines a common magmatic source for the high-grade gold system, now in three distinct rock packages. This gives the Surebet untapped discovery potential to increase tonnage and gold content in the various known rock packages. Until this study, researchers and explorers in the Golden Triangle had not recognized the high-grade gold discovery potential in the Eocene-aged RIRG dykes (see news release March 13, 2025), which is showing the potential that these discoveries could be a geological breakthrough in the Golden Triangle of British Columbia.
- Goliath has drilled over 156,000 meters encompassing over 1,500 pierce points in the Surebet Discovery located at the Golddigger property between 2021 and 2025.
- The Surebet Discovery has predictable continuity and good metallurgy. Testing conducted on a composite core sample through a combination of simple gravity and flotation resulted in notable recoveries of 92.2% for Gold, 86.5% for Silver, 94.2% for Lead and 96.9% for Zinc. Recoveries with a crush size of 327 micrometer through simple and cost-effective gravity alone amounted to 48.8% for Gold and 10.3% for Silver (no cyanide leaching required to recover the gold and silver). The metallurgy completed to date shows a benign rock composition without deleterious elements (see news release March 1, 2023).
- Based on positive grassroots exploration and drill results in recent years, Goliath significantly increased its land package from 66,608 hectares to 91,518 hectares (226,146 acres) and now controls 56 kilometers of key terrain of the Red Line geologic trend providing for additional discovery potential.
- The Golddigger Property is located on tidewater with a barge route to Prince Rupert (190 km south) and close to infrastructure including the town of Kitsault adjacent to a permitted mine site on private property.

Table 2: Complete gold-equivalent assay results.

Hole ID	Interval	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)	AuEq (g/t)	Zone
GD-24-280_RELOG	Interval	90.45	100.00	9.55	1.21	1.43	0.00	0.00	0.01	1.24	Bonanza
	including	93.73	99.00	5.27	2.10	2.30	0.00	0.00	0.01	2.15	
	<b>Interval</b>	<b>105.00</b>	<b>128.00</b>	<b>23.00</b>	<b>8.31</b>	<b>2.30</b>	<b>0.00</b>	<b>0.00</b>	<b>0.02</b>	<b>8.35</b>	Bonanza
	<b>including</b>	<b>106.00</b>	<b>116.00</b>	<b>10.00</b>	<b>17.24</b>	<b>4.28</b>	<b>0.01</b>	<b>0.00</b>	<b>0.02</b>	<b>17.32</b>	
	<b>including</b>	<b>106.00</b>	<b>113.00</b>	<b>7.00</b>	<b>24.05</b>	<b>5.78</b>	<b>0.01</b>	<b>0.00</b>	<b>0.02</b>	<b>24.16</b>	
	and	118.00	126.00	8.00	2.18	0.95	0.00	0.00	0.02	2.21	
	including	120.96	126.00	5.04	3.25	1.11	0.00	0.00	0.02	3.28	
GD-25-319	Interval	443.80	447.00	3.20	1.22	20.91	0.03	0.58	2.40	2.18	Bonanza
	Interval	484.00	487.00	3.00	1.90	2.54	0.01	0.04	0.14	1.98	Golden Gate
	including	485.00	486.00	1.00	5.65	6.75	0.01	0.12	0.36	5.87	
	Interval	510.00	527.00	17.00	1.07	2.24	0.01	0.02	0.09	1.14	Golden Gate
	Including	518.00	522.10	4.10	3.20	7.02	0.02	0.08	0.17	3.38	
	<b>Interval</b>	<b>564.10</b>	<b>577.00</b>	<b>12.90</b>	<b>9.15</b>	<b>17.36</b>	<b>0.02</b>	<b>0.01</b>	<b>0.06</b>	<b>9.48</b>	

Hole ID	Interval	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)	AuEq (g/t)	Zone
	including	565.10	576.05	10.95	10.76	20.30	0.02	0.02	0.06	11.14	
	including	565.10	569.10	4.00	29.09	53.55	0.04	0.04	0.06	30.06	
GD-25-405	Interval	84.00	87.25	3.25	2.47	1.35	0.01	0.01	0.02	2.51	Bonanza
	<b>Interval</b>	<b>163.70</b>	<b>174.00</b>	<b>10.30</b>	<b>8.55</b>	<b>2.82</b>	<b>0.01</b>	<b>0.02</b>	<b>0.26</b>	<b>8.66</b>	Golden Gate
	including	164.70	173.00	8.30	10.60	3.35	0.01	0.02	0.32	10.74	
	including	166.75	170.50	3.75	21.09	5.14	0.02	0.03	0.64	21.33	
GD-25-332	<b>Interval</b>	<b>171.25</b>	<b>177.00</b>	<b>5.75</b>	<b>13.38</b>	<b>23.43</b>	<b>0.02</b>	<b>0.50</b>	<b>0.33</b>	<b>13.93</b>	Eldorado
	including	172.24	176.11	3.87	19.87	33.97	0.03	0.73	0.46	20.67	Bonanza
	Interval	417.00	423.00	6.00	3.04	4.17	0.01	0.05	0.18	3.17	
	including	417.00	420.00	3.00	5.90	6.24	0.02	0.09	0.26	6.09	
GD-25-321	Interval	289.00	318.00	29.00	2.29	9.24	0.01	0.17	0.15	2.51	Golden Gate
	including	290.00	311.00	21.00	3.10	12.44	0.02	0.23	0.20	3.40	
	<b>including</b>	<b>290.00</b>	<b>303.00</b>	<b>13.00</b>	<b>4.78</b>	<b>19.67</b>	<b>0.02</b>	<b>0.36</b>	<b>0.31</b>	<b>5.24</b>	
	including	290.00	294.00	4.00	6.29	4.90	0.00	0.11	0.20	6.44	
	and	295.00	299.69	4.69	7.03	46.55	0.05	0.83	0.38	8.06	
GD-24-254_RELOG	Interval	109.78	113.59	3.81	2.51	5.12	0.01	0.08	0.08	2.63	Whopper
	<b>Interval</b>	<b>373.70</b>	<b>387.00</b>	<b>13.30</b>	<b>4.61</b>	<b>11.00</b>	<b>0.02</b>	<b>0.33</b>	<b>0.35</b>	<b>4.93</b>	Golden Gate
	including	374.83	386.00	11.17	5.47	12.96	0.02	0.40	0.42	5.85	
	including	381.00	385.00	4.00	13.83	33.19	0.05	1.09	1.12	14.81	Golden Gate
	Interval	422.00	425.03	3.03	4.98	5.59	0.01	0.01	0.01	5.09	
	Interval	455.37	458.45	3.08	2.59	9.47	0.03	0.12	0.24	2.84	
	Interval	604.00	607.00	3.00	22.41	22.77	0.03	0.03	0.22	22.88	
GD-25-383	Interval	416.00	433.00	17.00	3.59	1.56	0.00	0.00	0.01	3.62	Dyke
	including	417.00	431.10	14.10	4.29	1.79	0.00	0.00	0.01	4.32	
	<b>including</b>	<b>417.00</b>	<b>425.00</b>	<b>8.00</b>	<b>7.28</b>	<b>2.67</b>	<b>0.00</b>	<b>0.00</b>	<b>0.01</b>	<b>7.33</b>	
GD-25-311	Interval	183.94	187.05	3.11	2.04	2.84	0.01	0.03	0.16	2.13	Whopper
	Interval	277.97	281.02	3.05	3.15	2.17	0.00	0.01	0.03	3.19	Whopper
	Interval	361.09	365.10	4.01	2.60	2.43	0.01	0.01	0.10	2.67	Surebet
	<b>Interval</b>	<b>580.00</b>	<b>584.07</b>	<b>4.07</b>	<b>11.20</b>	<b>1.36</b>	<b>0.01</b>	<b>0.00</b>	<b>0.03</b>	<b>11.24</b>	Golden Gate
	including	580.00	583.00	3.00	15.13	1.78	0.02	0.00	0.03	15.19	
GD-25-359	<b>Interval</b>	<b>174.00</b>	<b>179.00</b>	<b>5.00</b>	<b>4.05</b>	<b>269.16</b>	<b>0.05</b>	<b>1.02</b>	<b>0.92</b>	<b>9.04</b>	Surebet
	Interval	193.06	199.15	6.09	1.29	52.95	0.02	0.24	0.14	2.28	Surebet
GD-25-334	Interval	386.00	389.00	3.00	1.98	0.70	0.01	0.00	0.01	2.01	Bonanza
	Interval	400.00	405.00	5.00	2.56	1.17	0.01	0.03	0.03	2.59	Golden Gate
	including	402.00	405.00	3.00	3.86	1.52	0.01	0.04	0.04	3.90	
	<b>Interval</b>	<b>412.00</b>	<b>419.00</b>	<b>7.00</b>	<b>5.88</b>	<b>15.20</b>	<b>0.01</b>	<b>0.37</b>	<b>0.20</b>	<b>6.24</b>	Golden Gate
	including	413.00	417.00	4.00	10.18	26.11	0.02	0.64	0.33	10.80	
	including	413.00	416.00	3.00	13.47	34.53	0.02	0.84	0.44	14.28	
GD-25-385	Interval	138.00	141.00	3.00	3.59	5.58	0.00	0.00	0.01	3.69	Whopper
	<b>Interval</b>	<b>253.00</b>	<b>261.00</b>	<b>8.00</b>	<b>3.35</b>	<b>89.72</b>	<b>0.02</b>	<b>1.58</b>	<b>0.54</b>	<b>5.22</b>	Surebet
	including	254.00	260.13	6.13	4.36	116.19	0.02	2.05	0.70	6.78	

Hole ID	Interval	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)	AuEq (g/t)	Zone
	including	256.00	260.13	4.13	6.40	171.78	0.03	3.05	1.03	9.98	
GD-25-313	<b>Interval</b>	<b>527.00</b>	<b>532.50</b>	<b>5.50</b>	<b>6.63</b>	<b>15.09</b>	<b>0.01</b>	<b>0.33</b>	<b>0.25</b>	<b>6.99</b>	Golden Gate
	including	528.10	531.50	3.40	10.68	23.91	0.02	0.53	0.39	11.26	
GD-25-360	Interval	98.00	112.00	14.00	2.21	1.73	0.01	0.00	0.02	2.26	Bonanza
	including	102.65	110.00	7.35	3.92	2.32	0.01	0.00	0.03	3.97	
	including	107.00	110.00	3.00	8.50	5.15	0.03	0.01	0.06	8.63	
	Interval	132.00	135.00	3.00	1.98	1.50	0.01	0.01	0.10	2.04	Golden Gate
GD-25-381	<b>Interval</b>	<b>264.00</b>	<b>270.15</b>	<b>6.15</b>	<b>2.18</b>	<b>139.57</b>	<b>0.01</b>	<b>0.08</b>	<b>0.13</b>	<b>4.62</b>	Surebet
	including	265.00	269.00	4.00	3.32	213.83	0.01	0.12	0.19	7.06	
	including	265.00	268.00	3.00	4.33	284.48	0.01	0.15	0.25	9.31	
GD-25-374	Interval	378.00	381.95	3.95	6.77	8.23	0.01	0.11	0.36	7.00	Surebet
	Interval	388.00	391.00	3.00	1.73	23.64	0.12	0.20	1.05	2.48	Surebet
GD-25-395	Interval	305.02	316.15	11.13	1.57	18.37	0.02	0.38	0.45	2.04	Surebet
	including	311.10	316.15	5.05	2.66	29.40	0.02	0.77	0.84	3.46	
GD-25-401	Interval	51.00	54.00	3.00	2.04	0.72	0.00	0.00	0.01	2.06	Bonanza
	Interval	55.96	62.00	6.04	2.07	1.23	0.00	0.00	0.01	2.10	Bonanza
	including	57.00	61.11	4.11	3.00	1.62	0.00	0.00	0.01	3.04	
GD-25-375	<b>Interval</b>	<b>218.00</b>	<b>223.25</b>	<b>5.25</b>	<b>1.69</b>	<b>150.53</b>	<b>0.02</b>	<b>2.20</b>	<b>1.15</b>	<b>4.82</b>	Surebet
	including	218.00	221.00	3.00	2.84	254.90	0.02	3.74	1.63	8.05	
GD-25-326	Interval	299.00	302.00	3.00	8.57	1.84	0.01	0.01	0.11	8.63	Surebet
GD-25-398	<b>Interval</b>	<b>74.39</b>	<b>80.07</b>	<b>5.68</b>	<b>4.44</b>	<b>0.86</b>	<b>0.01</b>	<b>0.00</b>	<b>0.01</b>	<b>4.46</b>	Golden Gate
	including	74.39	79.03	4.64	5.41	1.01	0.01	0.00	0.01	5.44	
	Interval	132.00	135.00	3.00	2.68	1.04	0.01	0.01	0.02	2.71	Golden Gate
GD-25-367	Interval	376.00	379.00	3.00	1.97	1.34	0.01	0.01	0.09	2.02	Bonanza
	Interval	523.00	527.00	4.00	5.34	8.79	0.02	0.13	0.36	5.60	Golden Gate
	including	523.00	526.00	3.00	7.10	11.58	0.03	0.17	0.48	7.44	
GD-25-349	Interval	85.00	89.00	4.00	5.50	4.82	0.00	0.00	0.02	5.59	Bonanza
GD-25-335	Interval	236.00	239.00	3.00	3.71	4.82	0.01	0.14	0.08	3.83	Golden Gate
GD-24-266_RELOG	Interval	514.00	518.00	4.00	5.40	3.59	0.00	0.00	0.02	5.46	Dyke
GD-25-356	Interval	522.13	526.00	3.87	4.98	11.62	0.02	0.13	0.48	5.31	Golden Gate
GD-25-393	Interval	386.00	390.00	4.00	4.72	0.94	0.00	0.00	0.01	4.74	Dyke
GD-25-366	Interval	62.05	66.00	3.95	3.34	3.94	0.01	0.07	0.09	3.44	Whopper
	Interval	579.00	582.00	3.00	3.78	16.46	0.12	0.26	0.58	4.31	Golden Gate
GD-25-382	Interval	11.05	15.12	4.07	3.46	1.12	0.01	0.00	0.02	3.49	Golden Gate
	Interval	67.00	70.00	3.00	1.95	8.74	0.00	0.00	0.01	2.11	Golden Gate
GD-25-323	Interval	305.70	315.00	9.30	0.79	4.68	0.01	0.09	1.05	1.11	Surebet
	including	306.86	313.05	6.19	1.13	6.20	0.02	0.12	1.55	1.59	
	Interval	588.80	592.50	3.70	3.71	16.98	0.08	0.10	1.15	4.32	Golden Gate
GD-25-396	Interval	125.95	131.96	6.01	2.55	0.64	0.01	0.00	0.01	2.57	Bonanza
	including	244.00	247.19	3.19	2.47	6.34	0.01	0.02	0.54	2.71	
GD-25-406	Interval	121.00	134.00	13.00	0.48	34.18	0.02	0.18	0.23	1.16	Bonanza

Hole ID	Interval	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)	AuEq (g/t)	Zone
	including	122.00	126.00	4.00	1.28	89.05	0.06	0.55	0.72	3.09	Bonanza
	Interval	135.00	143.00	8.00	0.92	17.57	0.02	0.08	0.20	1.29	
	including	138.00	142.00	4.00	1.76	27.07	0.02	0.11	0.37	2.34	
GD-25-305	Interval	240.98	249.00	8.02	1.10	1.03	0.00	0.01	0.02	1.12	Whopper
	Interval	259.03	263.00	3.97	2.51	6.34	0.00	0.00	0.02	2.62	Dyke
	Interval	583.90	596.00	12.10	1.19	1.73	0.01	0.01	0.02	1.23	Golden Gate
	including	587.10	592.97	5.87	2.20	0.31	0.01	0.00	0.02	2.22	
GD-25-389	Interval	125.00	135.00	10.00	1.16	1.30	0.01	0.00	0.01	1.19	Bonanza
	Interval	156.00	160.00	4.00	3.57	1.54	0.01	0.00	0.02	3.61	Bonanza
GD-23-102_RELOG	Interval	97.00	108.00	11.00	1.13	0.57	0.01	0.00	0.02	1.16	Golden Gate
GD-25-316	Interval	356.00	363.65	7.65	1.49	4.50	0.01	0.11	0.16	1.63	Surebet
	including	357.82	362.50	4.68	2.39	5.60	0.01	0.15	0.24	2.56	
GD-23-194_RELOG	Interval	510.17	519.00	8.83	1.03	2.58	0.01	0.04	0.34	1.15	Golden Gate
GD-25-344	Interval	215.82	222.23	6.41	1.29	7.87	0.01	0.14	0.10	1.47	Whopper
GD-25-399	Interval	58.5	61.5	3.00	2.71	0.50	0.01	0.00	0.12	2.76	Bonanza
GD-24-267_RELOG	Interval	60.74	64.46	3.72	1.58	1.47	0.00	0.00	0.01	1.61	Bonanza
GD-24-260_RELOG	Interval	614.00	619.00	5.00	1.11	2.00	0.00	0.00	0.01	1.15	Golden Gate
GD-24-249_RELOG	Interval	89.00	92.85	3.85	1.31	0.61	0.01	0.00	0.01	1.33	Bonanza
GD-25-308	Interval	405.00	408.00	3.00	1.55	1.42	0.00	0.00	0.01	1.58	Dyke
GD-23-161_RELOG	Interval	244.00	247.00	3.00	1.36	1.96	0.00	0.00	0.03	1.41	Whopper
GD-22-83_RELOG	Interval	188.00	191.63	3.63	0.68	13.23	0.00	0.01	0.02	0.91	Dyke
GD-24-255_RELOG	Interval	445.00	449.00	4.00	0.65	0.27	0.00	0.00	0.01	0.66	Golden Gate
GD-24-197_RELOG	Interval	288.00	293.00	5.00	0.48	1.37	0.00	0.01	0.02	0.51	Dyke
GD-24-283_RELOG	Interval	532.30	536.00	3.70	0.57	0.91	0.00	0.00	0.07	0.61	Golden Gate
GD-23-179_RELOG	Interval	457.00	462.00	5.00	0.44	0.52	0.00	0.00	0.02	0.45	Dyke
GD-24-294_RELOG	Interval	506.00	510.00	4.00	0.48	1.44	0.01	0.03	0.08	0.53	Golden Gate
GD-24-246_RELOG	Interval	61.00	69.00	8.00	0.24	0.56	0.00	0.00	0.01	0.25	Dyke
GD-24-293_RELOG	Interval	251.00	259.00	8.00	0.23	0.37	0.00	0.00	0.01	0.24	Golden Gate
GD-25-338	Interval	426.00	429.00	3.00	0.80	1.56	0.00	0.01	0.02	0.83	Dyke
GD-25-340	Interval	363.40	370.47	7.07	0.24	1.59	0.00	0.02	0.09	0.29	Bonanza
GD-25-309	Interval	296.03	299.07	3.04	1.72	0.56	0.00	0.00	0.01	1.74	Eldorado
GD-25-346	Interval	221.84	226.00	4.16	1.06	2.01	0.01	0.02	0.05	1.11	Bonanza
GD-25-379	Interval	288.82	292.90	4.08	1.05	8.04	0.02	0.10	0.04	1.23	Surebet
GD-25-339	Interval	634.91	638.12	3.21	1.10	12.38	0.01	0.02	1.04	1.54	Golden Gate
GD-25-369	Interval	667.00	671.00	4.00	0.70	16.76	0.02	0.03	0.67	1.14	Golden Gate
GD-25-336	Interval	228.00	231.00	3.00	1.10	12.62	0.01	0.37	0.42	1.46	Eldorado
GD-25-315	Interval	223.00	226.00	3.00	1.25	2.39	0.03	0.03	0.10	1.34	Golden Gate
GD-25-364	Interval	253.80	257.58	3.78	0.95	2.84	0.00	0.00	0.01	1.01	Whopper
GD-25-408	Interval	172.59	175.77	3.18	0.28	10.30	0.01	0.06	0.67	0.61	Bonanza
GD-25-397	Interval	185.00	188.00	3.00	1.15	2.23	0.01	0.03	0.14	1.23	Bonanza
GD-25-388	Interval	39.00	42.00	3.00	1.16	1.39	0.01	0.00	0.02	1.19	Bonanza

Hole ID	Interval	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)	AuEq (g/t)	Zone
GD-25-384	Interval	257.00	260.00	3.00	0.74	7.32	0.01	0.13	1.23	1.14	Surebet
GD-25-402	Interval	195.12	199.00	3.88	0.80	3.16	0.01	0.05	0.13	0.89	Bonanza
GD-25-392	Interval	144.00	148.00	4.00	0.57	1.66	0.02	0.00	0.01	0.62	Bonanza
GD-25-320	Interval	247.00	251.00	4.00	0.51	0.63	0.01	0.00	0.01	0.53	Golden Gate
GD-25-353	Interval	286.00	289.93	3.93	0.46	0.83	0.01	0.01	0.08	0.51	Golden Gate
GD-25-404	Interval	181.00	186.00	5.00	0.34	0.95	0.00	0.00	0.01	0.36	Bonanza
GD-25-347	<b>Interval</b>	<b>333.00</b>	<b>336.00</b>	<b>3.00</b>	<b>0.58</b>	<b>0.10</b>	<b>0.00</b>	<b>0.00</b>	<b>0.01</b>	<b>0.59</b>	<b>Dyke</b>
GD-24-263_RELOG	Interval	491.00	494.00	3.00	0.05	32.43	0.00	0.10	0.02	0.63	Golden Gate
GD-22-74_RELOG	Interval	224.00	228.00	4.00	0.43	0.79	0.00	0.01	0.01	0.45	Dyke
GD-22-67_RELOG	Interval	269.00	272.86	3.86	0.37	4.52	0.01	0.00	0.01	0.46	Dyke
GD-24-297_RELOG	Interval	95.00	98.00	3.00	0.57	0.53	0.00	0.01	0.02	0.59	Golden Gate
GD-24-285_RELOG	Interval	326.00	329.10	3.10	0.37	1.30	0.01	0.00	0.01	0.40	Surebet
GD-24-290_RELOG	Interval	70.45	73.80	3.35	0.33	1.01	0.00	0.00	0.02	0.35	Bonanza
GD-24-232_RELOG	Interval	149.00	152.80	3.80	0.28	0.29	0.00	0.00	0.01	0.29	Dyke
GD-23-183_RELOG	Interval	352.00	355.00	3.00	0.25	2.73	0.00	0.03	0.02	0.31	Dyke
GD-23-154_RELOG	Interval	166.00	169.10	3.10	0.27	0.37	0.00	0.00	0.01	0.28	Dyke
GD-25-310	Interval	149.00	152.00	3.00	0.40	0.20	0.00	0.00	0.01	0.41	Golden Gate
GD-25-304	Interval	254.00	257.00	3.00	0.24	0.99	0.01	0.03	0.16	0.29	Golden Gate

Table 3: Collar information for drill holes reported in this news release.

Hole ID	CRS	Easting (m)	Northing (m)	Elevation (m)	Azimuth (deg)	Dip (deg)	Length (m)
GD-22-67_RELOG	NAD83 / UTM zone 9N	457192	6162992	1657	20	60	353
GD-22-74_RELOG	NAD83 / UTM zone 9N	457453	6162782	1514	190	65	285
GD-22-83_RELOG	NAD83 / UTM zone 9N	457728	6162985	1490	235	48	201
GD-23-102_RELOG	NAD83 / UTM zone 9N	457699	6162437	1133	230	65	214
GD-23-154_RELOG	NAD83 / UTM zone 9N	456854	6162839	1569	30	85	317
GD-23-161_RELOG	NAD83 / UTM zone 9N	457452	6162784	1514	118	55	465
GD-23-179_RELOG	NAD83 / UTM zone 9N	457319	6162751	1500	134	60	544
GD-23-183_RELOG	NAD83 / UTM zone 9N	457319	6162752	1500	100	65	507
GD-23-194_RELOG	NAD83 / UTM zone 9N	457317	6162750	1499	185	55	538
GD-24-197_RELOG	NAD83 / UTM zone 9N	457450	6162780	1513	170	80	482
GD-24-232_RELOG	NAD83 / UTM zone 9N	457149	6162501	1320	134	50	222
GD-24-246_RELOG	NAD83 / UTM zone 9N	457381	6162945	1623	165	88	750
GD-24-249_RELOG	NAD83 / UTM zone 9N	457938	6162560	1138	10	80	396
GD-24-254_RELOG	NAD83 / UTM zone 9N	457256	6162711	1474	110	74	828
GD-24-255_RELOG	NAD83 / UTM zone 9N	457367	6162756	1506	178	72	497
GD-24-260_RELOG	NAD83 / UTM zone 9N	457364	6162753	1503	165	55	619
GD-24-263_RELOG	NAD83 / UTM zone 9N	457060	6163027	1655	155	71	758
GD-24-266_RELOG	NAD83 / UTM zone 9N	457381	6162942	1622	140	73	654
GD-24-267_RELOG	NAD83 / UTM zone 9N	457938	6162554	1137	195	60	450
GD-24-280_RELOG	NAD83 / UTM zone 9N	457881	6162620	1175	200	55	281

Hole ID	CRS	Easting (m)	Northing (m)	Elevation (m)	Azimuth (deg)	Dip (deg)	Length (m)
GD-24-283_RELOG	NAD83 / UTM zone 9N	457363	6162756	1506	135	55	650
GD-24-285_RELOG	NAD83 / UTM zone 9N	457579	6163351	1714	185	55	358
GD-24-290_RELOG	NAD83 / UTM zone 9N	457881	6162620	1175	228	73	312
GD-24-293_RELOG	NAD83 / UTM zone 9N	457051	6162464	1325	125	65	501
GD-24-294_RELOG	NAD83 / UTM zone 9N	457363	6162757	1505	163	60	656
GD-24-297_RELOG	NAD83 / UTM zone 9N	457702	6162435	1132	165	55	366
GD-25-304	NAD83 / UTM zone 9N	457214	6162332	1220	320	55	308
GD-25-305	NAD83 / UTM zone 9N	457447	6162774	1513	155	54	687
GD-25-308	NAD83 / UTM zone 9N	457364	6162756	1509	160	67	705
GD-25-309	NAD83 / UTM zone 9N	456710	6162964	1638	295	89	612
GD-25-310	NAD83 / UTM zone 9N	457214	6162332	1219	28	62	509
GD-25-311	NAD83 / UTM zone 9N	457446	6162775	1514	143	65	810
GD-25-313	NAD83 / UTM zone 9N	457325	6162856	1581	167	73	732
GD-25-315	NAD83 / UTM zone 9N	457218	6162331	1219	63	63	486
GD-25-316	NAD83 / UTM zone 9N	456927	6163020	1651	150	76	723
GD-25-319	NAD83 / UTM zone 9N	457365	6162754	1505	141	62	629
GD-25-320	NAD83 / UTM zone 9N	457215	6162328	1219	170	70	367
GD-25-321	NAD83 / UTM zone 9N	457017	6162589	1387	137	64	509
GD-25-323	NAD83 / UTM zone 9N	456927	6163020	1652	90	80	620
GD-25-326	NAD83 / UTM zone 9N	457236	6162867	1586	23	80	734
GD-25-332	NAD83 / UTM zone 9N	456927	6163020	1653	10	75	708
GD-25-334	NAD83 / UTM zone 9N	457228	6162734	1481	128	66	696
GD-25-335	NAD83 / UTM zone 9N	457015	6162587	1387	180	60	498
GD-25-336	NAD83 / UTM zone 9N	456710	6162961	1639	315	75	606
GD-25-338	NAD83 / UTM zone 9N	457445	6162774	1514	173	69	621
GD-25-339	NAD83 / UTM zone 9N	457236	6162865	1586	120	70	792
GD-25-340	NAD83 / UTM zone 9N	456861	6162631	1451	300	55	405
GD-25-344	NAD83 / UTM zone 9N	457319	6162857	1585	265	77	705
GD-25-346	NAD83 / UTM zone 9N	456863	6162632	1452	340	45	471
GD-25-347	NAD83 / UTM zone 9N	456710	6162961	1639	270	65	442
GD-25-349	NAD83 / UTM zone 9N	457817	6162512	1145	50	65	756
GD-25-353	NAD83 / UTM zone 9N	456864	6162633	1453	7	56	501
GD-25-356	NAD83 / UTM zone 9N	457235	6162865	1586	181	71	643
GD-25-359	NAD83 / UTM zone 9N	457414	6163255	1733	65	47	276
GD-25-360	NAD83 / UTM zone 9N	457817	6162507	1144	120	65	507
GD-25-364	NAD83 / UTM zone 9N	457464	6163017	1633	230	80	795
GD-25-366	NAD83 / UTM zone 9N	457399	6162901	1606	211	69	705
GD-25-367	NAD83 / UTM zone 9N	457235	6162864	1585	213	74	651
GD-25-369	NAD83 / UTM zone 9N	457319	6162859	1585	310	85	738
GD-25-374	NAD83 / UTM zone 9N	457040	6162951	1603	99	76	666
GD-25-375	NAD83 / UTM zone 9N	457486	6163164	1706	250	85	747

Hole ID	CRS	Easting (m)	Northing (m)	Elevation (m)	Azimuth (deg)	Dip (deg)	Length (m)
GD-25-379	NAD83 / UTM zone 9N	457189	6163129	1712	268	85	614
GD-25-381	NAD83 / UTM zone 9N	457511	6163074	1660	115	66	360
GD-25-382	NAD83 / UTM zone 9N	457591	6162372	1119	215	45	160
GD-25-383	NAD83 / UTM zone 9N	457401	6162902	1607	147	66	828
GD-25-384	NAD83 / UTM zone 9N	457233	6162865	1585	255	78	674
GD-25-385	NAD83 / UTM zone 9N	457488	6163163	1705	140	70	504
GD-25-388	NAD83 / UTM zone 9N	457879	6162621	1179	270	65	498
GD-25-389	NAD83 / UTM zone 9N	457849	6162680	1209	170	70	483
GD-25-392	NAD83 / UTM zone 9N	457757	6162595	1200	280	55	423
GD-25-393	NAD83 / UTM zone 9N	457322	6162859	1585	5	68	702
GD-25-395	NAD83 / UTM zone 9N	457402	6162902	1606	105	65	801
GD-25-396	NAD83 / UTM zone 9N	457758	6162596	1201	284	75	274
GD-25-397	NAD83 / UTM zone 9N	457850	6162683	1211	20	75	412
GD-25-398	NAD83 / UTM zone 9N	457596	6162373	1119	140	50	273
GD-25-399	NAD83 / UTM zone 9N	457760	6162596	1201	356	64	288
GD-25-401	NAD83 / UTM zone 9N	457881	6162620	1179	210	80	600
GD-25-402	NAD83 / UTM zone 9N	457972	6162658	1175	292	48	249
GD-25-404	NAD83 / UTM zone 9N	457848	6162684	1211	325	55	348
GD-25-405	NAD83 / UTM zone 9N	457763	6162595	1200	82	75	312
GD-25-406	NAD83 / UTM zone 9N	457973	6162657	1174	281	71	246
GD-25-408	NAD83 / UTM zone 9N	457972	6162655	1177	230	60	219

### About Golddigger Property

The Golddigger Property is 100% controlled and covers an area of 91,518 hectares in a highly prospective geological setting of the Eskay Rift, within 3 kilometers of the Red Line in the Golden Triangle of British Columbia. This area, in close proximity to the Red Line, has hosted some of Canada's greatest gold mines including Eskay Creek, Premier and Snip. Other significant and well-known deposits in the Golden Triangle include Brucejack, Copper Canyon, Galore Creek, Granduc, KSM, Red Chris, and Schaft Creek. Goliath controls 56 kilometers of the Red Line which is a geologic contact between Triassic age Stuhini rocks and Jurassic age Hazelton rocks used as key markers when exploring for gold-copper-silver mineralization.

The Surebet Discovery has predictable continuity and good metallurgy. Testing conducted on a composite core sample through a combination of simple gravity and flotation resulted in notable recoveries of 92.2% for Gold, 86.5% for Silver, 94.2% for Lead and 96.9% for Zinc. Recoveries with a crush size of 327 micrometer through simple and cost-effective gravity alone amounted to 48.8% for Gold and 10.3% for Silver (no cyanide leaching required to recover the gold and silver). The metallurgy completed to date shows a benign rock composition without deleterious elements (see news release March 1, 2023).

The Property is in a well positioned location in close proximity to the communities of Alice Arm and Kitsault where there is a permitted mill site on private property. It is situated on tide water with direct barge access to Prince Rupert (190 kilometers via the Observatory inlet/Portland inlet). The town of Kitsault is accessible by road (190 kilometers from Terrace, 300 kilometers from Prince Rupert) and has a barge landing, dock, and infrastructure capable of housing at least 300 people, including high-tension power.

Additional infrastructure in the area includes the Dolly Varden Silver Mine Road (only 7 kilometers to the East of the Surebet discovery) with direct road access to Alice Arm barge landing (18 kilometers to the south of the Surebet discovery) and high-



tension power (25 kilometers to the east of Surebet discovery). The city of Terrace (population 16,000) provides access to railway, major highways, and airport with supplies (food, fuel, lumber, etc.), while the town of Prince Rupert (population 12,000) is located on the West Coast of British Columbia and houses an international container seaport also with direct access to railway and an airport.

#### **Qualified Person**

Rein Turna P. Geo is the qualified person as defined by National Instrument 43-101, for Goliath Resources Limited projects, and supervised the preparation of, and has reviewed and approved, the technical information in this release. Mr. Turna is an Independent Director of the Company.

#### **About CASERM (Center to Advance the Science of Exploration to Reclamation in Mining)**

Goliath Resources is a paying member and active supporter of the Center to Advance the Science of Exploration to Reclamation in Mining (CASERM), which is one of the world's largest research centers in the mining sector. CASERM is a collaborative research venture between Colorado School of Mines and Virginia Tech that is supported by a consortium of mining and exploration companies, analytical instrumentation and software companies, and federal agencies aiming to transform the way geoscience data is acquired and used across the mining value chain. The center forms part of the I-UCRC program of the National Science Foundation. Research focuses on the integration of diverse geoscience data to improve decision making across the mine life cycle, beginning with the exploration for subsurface resources continuing through mine operation as well as closure and environmental remediation. Over the past three years, Goliath Resources' membership in CASERM has allowed a high level of research to be performed on the Surebet Discovery.

#### **About Goliath Resources Limited**

Goliath Resources is an explorer of precious metals projects in the highly prospective Golden Triangle of Northwestern British Columbia. All of its projects are in high quality geological settings and geopolitical safe jurisdictions amenable to mining in Canada. Goliath is a member and active supporter of CASERM which is an organization that represents a collaborative venture between Colorado School of Mines and Virginia Tech. In 2025, Goliath completed its largest drill campaign to date for a total of 64,364 meters. It is fully funded for a similar sized drill program in 2026. The Company's key strategic cornerstone shareholders include Crescat Capital, Waratah Capital Advisors, McEwen Inc. (NYSE: MUX) (TSX: MUX), a Global Commodity Group (Singapore), Rob McEwen, Eric Sprott and Larry Childress.

#### **For more information please contact:**

Goliath Resources Limited

**Mr. Roger Rosmus**

Founder and CEO

Tel: +1.416.488.2887

[roger@goliathresources.com](mailto:roger@goliathresources.com)

[www.goliathresourcesltd.com](http://www.goliathresourcesltd.com)

### ***Disclaimer***

The reader is cautioned that grab samples are spot samples which are typically, but not exclusively, constrained to mineralization. Grab samples are selective in nature and collected to determine the presence or absence of mineralization and are not intended to be representative of the material sampled.

### **QA/QC Protocol**

Oriented HQ-diameter or NQ-diameter diamond drill core from the drill campaign is placed in core boxes by the drill crew contracted by the Company. Core boxes are transported by helicopter to the staging area and then transported by truck to the core shack. The core is then re-orientated, meterage blocks are checked, meter marks are labelled, Recovery and RQD measurements taken, and primary bedding and secondary structural features including veins, dykes, cleavage, and shears are noted and measured. The core is then described and transcribed in MX Deposit™. Drill holes were planned using Leapfrog Geo™ and QGISTM software and data from the 2017-2024 exploration campaigns. Drill core containing quartz breccia, stockwork, veining and/or sulphide(s), or notable alteration is sampled in lengths of 0.5 to 1.5 meters. Core samples are cut lengthwise in half: one-half remains in the box and the other half is inserted in a clean plastic bag with a sample tag. The bagged samples are then weighed and secured with a zip tie. Certified reference materials (CRMs), blanks and duplicates are added in the sample stream at a rate of 10%. To ensure analytical anonymity, CRM identification labels are removed prior to submission to the laboratory. Additional out-of-sequence blanks are introduced immediately following core samples that contain VG-NE or high-grade sulphide mineralization.

Grab, channels, chip and talus samples were collected by foot with helicopter assistance. Prospective areas included, but were not limited to, proximity to MINFile locations, placer creek occurrences, regional soil anomalies, and potential gossans based on high-resolution satellite imagery. The rock grab and chip samples were extracted using a rock hammer, or hammer and chisel to expose fresh surfaces and to liberate a sample of anywhere between 0.5 to 5.0 kilograms. All sample sites were flagged with biodegradable flagging tape and marked with the sample number. All sample sites were recorded using hand-held GPS units (accuracy 3-10 meters) and sample ID, easting, northing, elevation, type of sample (outcrop, subcrop, float, talus, chip, grab, etc.) and a description of the rock were recorded on all-weather paper. Samples are then inserted in a clean plastic bag with a sample tag for transport and shipping to the geochemistry lab. QA/QC samples including blanks, certified reference materials, and duplicate samples are inserted regularly into the sample sequence at a rate of 10%.

All samples are transported in rice bags sealed with numbered security tags. The rice bags are transported from the core shacks to the MSALABS facilities in Terrace, BC. MSALABS is certified with both AC89-IAS and ISO/IEC Standard 17025:2017. The core samples undergo preparation via drying, crushing to ~70% of the material passing a 2 mm sieve and riffle splitting. The sample splits are weighed and transferred into three plastic jars, each containing between 300 g and 500 g of crushed sample material. A 250 g split is pulverized to ensure at least 85% of the material passes through a 75 µm sieve. The crushed samples are transported to the MSALABS PhotonAssay™ facility in Prince George, where gold concentrations are quantified via photon assay analysis (method CPA-Au1). Samples that result in gold concentrations ≥5 ppm are analyzed to extinction. Photon assay uses high-energy X-rays (photons) to excite atomic nuclei within the jarred samples, inducing the emission of secondary gamma rays, which are measured to quantify gold concentrations. The assays from all jars are combined on a weight-averaged basis. Multielement analyses are carried out at the MSALABS facilities in Surrey, BC, where 250 g of pulverized splits are analyzed via ICF6xx and IMS-230 methods. The IMS-230 method uses 4-acid digestion (a combination of hydrochloric, nitric, perchloric and hydrofluoric acids) followed by inductively coupled plasma emission spectrometry to quantify concentrations of 48 elements. Samples with over-limit results for Ag, Cu, Pb and Zn undergo ore-grade analysis via the ICF-6xx method (where 'xx' denotes the target metal). This method employs 4-acid digestion followed by inductively coupled plasma emission spectrometry.



Widths are reported in drill core lengths and the true widths are estimated to be 80-90% and Gold Equivalent (AuEq) metal values are calculated using: 4,932.69 Au USD/oz, Ag 84.916 USD/oz, Cu 6.07 USD/lbs, Pb 1964.45 USD/ton and Zn 3,328.50 USD/ton on February 3<sup>rd</sup>, 2026. There is potential for economic recovery of gold, silver, copper, lead, and zinc from these occurrences based on other mining and exploration projects in the same Golden Triangle Mining Camp where Goliath's project is located such as the Homestake Ridge Gold Project (Auryn Resources Technical Report, Updated Mineral Resource Estimate and Preliminary Economic Assessment on the Homestake Ridge Gold Project, prepared by Minefill Services Inc. Bothell, Washington, dated May 29, 2020). Here, AuEq values were calculated using 3-year running averages for metal price, and included provisions for metallurgical recoveries, treatment charges, refining costs, and transportation. Recoveries for Gold were 85.5%, Silver at 74.6%, Copper at 74.6% and Lead at 45.3%. It will be assumed that Zinc can be recovered with the Copper at the same recovery rate of 74.6%. The quoted reference of metallurgical recoveries is not from Goliath's Golddigger Project, Surebet Zone mineralization, and there is no guarantee that such recoveries will ever be achieved, unless detailed metallurgical work such as in a Feasibility Study can be eventually completed on the Golddigger Project.

*Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange), nor the OTCQB Venture Market accepts responsibility for the adequacy or accuracy of this release.*

*Certain statements contained in this press release constitute forward-looking information. These statements relate to future events or future performance. The use of any of the words "could", "intend", "expect", "believe", "will", "projected", "estimated" and similar expressions and statements relating to matters that are not historical facts are intended to identify forward-looking information and are based on Goliath's current belief or assumptions as to the outcome and timing of such future events. Actual future results may differ materially. In particular, this release contains forward-looking information relating to, among other things, the ability of the Company to complete financings and its ability to build value for its shareholders as it develops its mining properties. Various assumptions or factors are typically applied in drawing conclusions or making the forecasts or projections set out in forward-looking information. Those assumptions and factors are based on information currently available to Goliath. Although such statements are based on management's reasonable assumptions, there can be no assurance that the proposed transactions will occur, or that if the proposed transactions do occur, will be completed on the terms described above.*

*The forward-looking information contained in this release is made as of the date hereof and Goliath is not obligated to update or revise any forward-looking information, whether as a result of new information, future events or otherwise, except as required by applicable securities laws. Because of the risks, uncertainties and assumptions contained herein, investors should not place undue reliance on forward-looking information. The foregoing statements expressly qualify any forward-looking information contained herein.*

*This announcement does not constitute an offer, invitation, or recommendation to subscribe for or purchase any securities and neither this announcement nor anything contained in it shall form the basis of any contract or commitment. In particular, this announcement does not constitute an offer to sell, or a solicitation of an offer to buy, securities in the United States, or in any other jurisdiction in which such an offer would be illegal.*

*The securities referred to herein have not been and will not be registered under the United States Securities Act of 1933, as amended (the "U.S. Securities Act"), or any state securities laws and may not be offered or sold within the United States or to or for the account or benefit of a U.S. person (as defined in Regulation S under the U.S. Securities Act) unless registered under the U.S. Securities Act and applicable state securities laws or an exemption from such registration is available.*